


NOTES:
 1. DESIGNED FOR USE WITH QUAKER QUINTOLUBRIC 888.
 2. PUMP FLOW: 19.8 GPM @ 1750 RPM, 16.7 GPM @ 1480 RPM.

JOB #: A-6981	ALL TECHNICAL DATA DISCLOSED HEREIN IS THE PROPERTY OF AIRLINE AND SHALL NOT BE USED BY OTHERS FOR MANUFACTURE, PROCUREMENT, OR DISCLOSURE WITHOUT THE WRITTEN PERMISSION OF THE OWNER.		 Airline Machinery Group 1-95 and Street Road, Bensalem, PA. 19020 (215) 638-4700		
	TOLERANCES ON ALL DIMENSIONS, EXCEPT NOTED: DECIMALS: .X ± 0.03" FRACTIONS ± 1/16 .XX ± 0.01" ANGULAR ± 0.5° .XXX ± 0.005" FINISH: 125		TITLE: BROOKHAVEN NATIONAL LABS Hg JET HYDRAULIC UNIT HYDRAULIC SCHEMATIC		
	⊥ PERPENDICULARITY — STRAIGHTNESS ↗ RUNOUT ▭ FLATNESS	⊕ CONCENTRICITY ⊕ TRUE POSITION PARALLELISM ⊙ PROJECTION	DWG. #: 6981001H	SIZE: C	SCALE: NA
			DATE: 11/16/05	BY: JB	REV.: SHEET: 1 OF 1